



LARC ICD-10 Coding Reference

Basic Implant Codes

ICD-10 Codes – Implant		CPT Procedure Codes	HCPCSII/JCode
Z30.017	Encounter for initial prescription and insertion of subdermal	11981 - insertion	J7307
	contraceptive, even when device is placed at a separate encounter		
Z30.46	Encounter for surveillance of subdermal contraceptive	11982 – removal	
	(includes removal, checking, reinsertion)	11983 – removal + reinsertion	J7307
Z32.02	Pregnancy test/exam – negative	81025 (Urine pregnancy test)	Don't forget to bill for the point- of-care office pregnancy test (when conducted)

Basic IUD Codes

ICD-10 Cd	odes - IUDs	CPT Procedure Code	HCPCSII/JCode
Z30.014	Encounter for initial prescription of IUD (not coded with the actual insertion)		
Z30.430	Encounter for insertion of IUD	58300	Kyleena = J7296 Liletta = J7297 Mirena = J7298 ParaGard = J7300 Skyla = J7301
Z30.431	Follow-up for patient with IUD or Routine checking for IUD		
Z30.432	Encounter for removal of IUD	58301	
Z30.433	Encounter for removal + reinsertion of IUD	58301 AND 58300-51* OR 58300-59* (Check with payer for expected modifier.) Append modifier -51 or -59 to the lesser paying service.	Kyleena = J7296 Liletta = J7297 Mirena = J7298 ParaGard = J7300 Skyla = J7301
Z32.02	Pregnancy test/exam – negative	81025 (Urine pregnancy test)	Don't forget to bill for the point- of-care office pregnancy test (when conducted)

Note: Last updated April 2022 © 2022 The Regents of the University of California. All rights reserved.





Coding Complex Cases (IUDs) with ICD-10

Clinical scenario	ICD-10 Codes	S	CPT Procedure Code	HCPCSII/JCode
Failed insertion/ discontinued procedure	Z30.430 AND	Encounter for insertion of IUD	58300-52* or -53*	Kyleena = J7296 Liletta = J7297
	<co-occurring complication which caused failed/ discontinued procedure></co-occurring 	*Document reason for failed/stopped procedure with appropriate ICD-10 codes.	*NOTE: Use modifier -52 (Failed Procedure) to denote that you attempted insertion but the procedure was incomplete due to anatomical factors (eg. Stenosis) or -53 (Discontinued Procedure) to indicate that you had to stop because of concerns for patient well-being (eg. vaso-vagal, severe pain).	Mirena = J7298 ParaGard = J7300 Skyla = J7301
Perforation (during insertion procedure)	Z30.430 T83.39XA	Encounter for insertion of IUD Perforation of uterus by IUD (non-traumatic)	58300-53 *Use modifier - 53 if procedure was discontinued due to perforation.	Kyleena = J7296 Liletta = J7297 Mirena = J7298 ParaGard = J7300 Skyla = J7301
Difficult insertion with ultrasound guidance	Z30.430 AND <co-occurring< td=""><td>Encounter for insertion of IUD</td><td>58300-22*Document the reason for additional work. 76998 (Ultrasonic guidance, intraoperative) *Document the</td><td>Kyleena = J7296 Liletta = J7297 Mirena = J7298</td></co-occurring<>	Encounter for insertion of IUD	58300-22 *Document the reason for additional work. 76998 (Ultrasonic guidance, intraoperative) *Document the	Kyleena = J7296 Liletta = J7297 Mirena = J7298
	complication justifying ultrasound>		justification for ultrasonic guidance (eg. patient in severe pain).	ParaGard = J7300 Skyla = J7301

Note: Last updated April 2022

© 2022 The Regents of the University of California. All rights reserved.





Clinical scenario	ICD-10 Code	S	CPT Procedure Code	HCPCSII/JCode
Difficult insertion with ultrasound used to confirm the location of the IUD	<pre>Z30.430 <co-occurring complication="" justifying="" ultrasound=""></co-occurring></pre>	*Document complication with appropriate ICD-10 codes.	58300-22*Document the reason for additional work. 76857 Ultrasound, pelvic [nonobstetric], real time with image documentation; limited or follow-up -or - 76830 Ultrasound, transvaginal *NOTE: It is not routine practice to use ultrasound to confirm placement. You must document justification for ultrasonography (eg. Uterine perforation, severe pain).	Kyleena = J7296 Liletta = J7297 Mirena = J7298 ParaGard = J7300 Skyla = J7301
Missing strings, with ultrasound to locate	T83.32XA AND either Z30.431 OR Z30.432	Displacement of IUD - Missing strings, initial encounter	76857 Ultrasound, pelvic, limited or follow-up - OR - 76830 Ultrasound, transvaginal	
	Z30.431	Follow-up for patient with IUD (if patient wants to keep IUD)		
	Z30.432	Encounter for IUD removal (if patient desires removal)	*NOTE: You may append modifier -22 if the removal was complicated. Supporting documentation may be requested by a payer. If the string is easily located in the canal, -22 modifier should not be added. It should be appended only if it is a very difficult extraction and is separately documented with the claim.	

Note: Last updated April 2022 © 2022 The Regents of the University of California. All rights reserved.



Note: Last updated April 2022



LARC Quick Coding Guide Supplement

Clinical scenario	ICD-10 Code:	s	CPT Procedure Code	HCPCSII/JCode
Failed removal	Z30.432 AND	Encounter for IUD removal	58301-52 or -53*	
	T83.32XA OR	Displacement of IUD, initial encounter		
	<co-occurring complication which caused failed/ discontinued procedure></co-occurring 	*Document reason for failed/stopped procedure with appropriate ICD-10 codes.	*NOTE: Use modifier -52 to denote that you attempted removal but the removal procedure was incomplete (unable to remove/locate IUD) or modifier -53 to indicate that you had to stop because of concerns for patient well-being. You must document reason for failed or incomplete procedure.	





Common LARC Modifiers

Modifier	Definition	Possible Clinical Scenarios	Documentation
-22	Increased procedural services	 Complex or difficult insertion Unsuccessful insertion, followed by successful insertion during the same surgical session 	 Total time of the procedure as compared with typical duration Reason for the additional work required Include diagnoses with appropriate ICD-10 codes or simple descriptive diagnoses that explain the reasons for the added difficulty
-25	Significant, separately identifiable E/M service	Patient came in for general contraceptive counseling, ends up choosing IUD or implant, and it is inserted that day	Document time spent counseling
-51*	Multiple procedures performed on the same day, during the same session	 Removal of IUD and insertion of new IUD on the same day Removal of implant and insertion of new implant on the same day 	Document should support the reasons for removal and reinsertion on the same day (eg. IUD expired, desired to continue with same method)
-52	Failed procedure	Provider couldn't complete procedure for anatomic reasons (eg. stenosis)	Document reasons for procedure failure (eg. N88.2 Stricture/ stenosis of cervix)
-53	Discontinued procedure	 Provider couldn't complete procedure due to concerns for patient well-being Severe pain Vasovagal Patient changed mind during procedure 	 How much work was actually performed Document reason procedure terminated (eg. R55 Syncope/ vasovagal)
-59*	Distinct procedural service	 Removal of IUD and insertion of new IUD on the same day Removal of implant and insertion of new implant on the same day 	Document should support the reasons for removal and reinsertion on the same day (eg. IUD expired, desired to continue with same method)
-76	Repeat procedure	Successful insertion but the IUD is expelled, followed by repeat insertion	Document reason for repeat procedure (eg. IUD was expelled)

^{*} When choosing between modifiers -51 and -59, payer policy may be the determining factor. Some payers will not pay for multiple procedures using modifier -51. *Check with payer*.

Note: Last updated April 2022 © 2022 The Regents of the University of California. All rights reserved.